

FLAT GLASS PRICE BOOK

Stock Sheet, Cut to Size, Fabrication, Tempering, I.G. Units & Sundries

WHOLESALE PRICING

Effective 05/2023






Table of CONTENTS

STOCK SHEETS

- 4 FLAT GLASS
- MIRROR
- 5 PATTERN GLASS

FABRICATION

- 6 CUT TO SIZE
- 8 EDGE TREATMENTS
- 9 CORNERS, HOLES & NOTCHES
- **10** PATTERNS
- 11 TEMPERING LIMITATIONS
- 12 PROFILE & SHAPE ILLUSTRATIONS

TEMPERED GLASS

- **15** DOOR BLANKS
- **16** HG VALUE PACKAGES

FRAMELESS MIRRORS

- 19 STANDARD SIZE MIRRORS
- 20 DOOR MIRRORS
- **20** FRAMELESS SHAPES

INSULATED GLASS

- **21** INSULATED GLASS UNITS
- 22 MUNTIN OPTIONS
- 23 INSULATED GLASS DOOR UNITS
- 23 FOAMTITE INTERIOR STORM WINDOWS
- **24** INSULATED GLASS WARRANTY
- 24 INSULATED GLASS
 PERFORMANCE CHART

PARTS & SUNDRIES

- 25 INDEX PARTS
- **26** ANDSCOT METALS
- **27** MIRROR COVER PLATES
- **28** SILICONE
- **28** SUNDRIES
- 29 STYLMARK

REFERENCE

- **30** HANG IT™ INSTRUCTIONS
- 31 ROBAX® GLASS
- 32 ENDUROSHIELD

QUOTE REQUESTS - SEND ALL QUOTE REQUESTS TO:

- quotes@wisconsinshowerdoor.com
- Fax to: 262.251.0718

ORDER REQUESTS - SEND TO ORDER REQUESTS TO:

- orders@wisconsinshowerdoor.com
- Fax to: 262,251,0718
- Incomplete orders will be delayed until all information is received; order dates are established once all information is received.

Quotes and Orders will not be processed if sent directly to CSR emails.

Pricing does not include applicable surcharges or taxes and is subject to change without notice.

STOCK SHEET - FLAT GLASS

						PRI	ICE PER SQU	ARE FOOT
						VC (cannot mix DS & SS w	LUME PRICING	
GLASS	j	SHE	ET SIZ	E	ONE	FIVE	TEN	TWENTY+
SS	Non-Glare	36"	48"		6.74	6.36	*CASE OF 4	
SS	Non-Glare	40"	60"		13.08	12.07	*CASE OF 2	
SS	Clear Plate (3 Sheet Minimum)	48	84		0.91	0.86	0.82	0.79
DS	Clear Plate (2 Sheet Minimum)	48 72	84 84		1.20	1.13	1.08	1.04
3/16"	Clear Plate	72	130		2.67	2.55	2.46	2.40
1/4"	Clear Plate	48 48 60 72	105 130 130 130		2.77	2.62	2.52	2.45
3/8"	Clear Plate	96	130	#	6.05	5.71	5.45	5.28
1/2"	Clear Plate	96	130	#	8.29	7.85	7.52	7.30
1/4"	Optiwhite	96	130	#	5.80	5.55	5.37	5.24
3/8"	Optiwhite	96	130	#	12.42	11.90	11.51	11.24
1/2"	Optiwhite	96	130	#	13.60	13.11	12.75	12.48
3/4"	Optiwhite (Call for Availability)	72	130	#	32.25	31.09	30.22	29.60
3/16	Robax®	43	77		35.79			
1/8"	Bronze/Grey Plate	B: 65 G: 72	96 84		4.62	4.33	4.12	3.98
3/16"	Bronze/Grey Plate	65	96		4.95	4.66	4.45	4.31
1/4"	Bronze/Grey Plate	96	130	#	5.06	4.77	4.56	4.42
3/8"	Bronze/Grey Plate	96	130	#	14.87	14.16	13.65	13.28
1/8"	Midnight Grey	72	84		7.25	6.79	6.47	6.25
1/4"	.030 Clear Laminated	36 40 48 60	84 80 84 96		6.87	6.63	6.44	6.31
1/4"	.030 Bronze Laminated	40	80		8.08	7.79	7.57	7.41
1/4"	.030 Grey Laminated	40	80		8.08	7.79	7.57	7.41
1/4"	.030 Green Laminated	36 48	84 84		8.08	7.79	7.57	7.41
1/4"	.030 Hue White Laminated	60	96		9.62	9.27	9.01	8.83

Split Sheet Pricing – Price for one (1) cut to split sheet from stock sheet size as follows: // Split sheets require one (1) production day and will not be available for next day delivery.

SS – 1/4" – \$8.75 one cut

3/8" - \$17.50 one cut

1/2" - \$17.50 one cut

3/4" - \$58.32 one cut (all 3/4" stock must be split)

Lami – \$17.50 one cut

Robax - \$11.00 one cut

#Jumbo sheet stock – Split charges apply // WSD will not deliver jumbo stock sheets

FGP - 07/26/2023

					PR	ICE PER SQL	JARE FOOT
					(cannot mix DS & SS w	OLUME PRICING with 3/16" or thicker fo	-
MIRR	OR	SHI	EET SIZE	ONE	FIVE	TEN	TWENTY+
DS	Clear Mirror (2 Sheet Minimum)	48	96	2.98	2.77	2.68	2.61
3/16"	Clear Mirror	72	130	4.07	3.73	3.59	3.47
1/4"	Clear Mirror	48 60 72 72	120 120 120 144 #	4.33	3.95	3.79	3.67
1/4"	Grey Mirror	72	130	7.98	7.31	7.02	6.80
1/4"	Clear Laminated Mirror	48	84	17.34	15.60	14.86	14.32

STOCK SHEET - PATTERN GLASS

PRICE PER SQUARE FOOT

		SHE	ET SIZE	
GLASS	5	W	Н	PRICE
1/8"	Pattern #62	72	84	3.51
1/8"	Velour on Soda Lime	65	96	8.62
5/32"	Cottswald	52	84	7.86
5/32"	Flemish	72	84	8.76
5/32"	Renaissance	65	85	7.67
3/16"	Aquatex	72	84	3.80
1/4"	Aquatex	72	84	6.02
1/4"	Flemish	72	84	9.91
1/4"	Glue Chip – Rolled	72	84	7.25

		SHE	EET SIZ	ĽΕ	
GLAS	s	W	Н		PRICE
1/4"	Master Carre ²	78	126		10.47
1/4"	Pattern #62	72	84		4.89
1/4"	Rain	72	84		5.95
1/4"	Reeded	72	84		7.50
1/4"	Velour on Soda Lime	96	130	#	7.50
3/8"	Glue Chip – Rolled	72	84		15.38
3/8"	Rain	60 72 72	84 84 96		11.22
3/8"	Reeded	72	84		12.04
3/8"	Velour on Soda Lime	96	130	#	11.51
3/8"	Velour on Starphire	96	130	#	21.30
1/2"	Velour on Soda Lime	96	130	#	17.96

²Discontinued Patterns - Limited quantities, call for availability.

CUT-TO-SIZE

WSD WILL NOT TEMPER CUSTOMER'S FABRICATED GLASS

PRIC	E PER SQUARE FOOT						
		PR	ICE			PR	ICE
		ANNEALED	TEMPERED			ANNEALED	TEMPERED
PLATE	GLASS			LOW E	(ENERGY ADVANTAGE)		
SS	Non-Glare (36" x 48" max)	8.00		1/8"	Low E (Energy Advantage)	6.60	7.52
SS	Non-Glare (40" x 60" max)	15.75		3/16"	Low E (Energy Advantage)	8.06	9.09
SS	Clear Plate	2.74		PATTE	RN GLASS		
DS	Clear Plate	3.19	4.59	1/8"	Clear Seedy	CALL	
3/16"	Clear Plate	3.72	4.75	1/8"	Clear Water	CALL	
1/4"	Clear Plate	3.79	4.82	1/8"	German New Antique	21.90	
3/8"	Clear Plate	7.25	7.74	1/8"	Pattern #62	6.02	6.85
1/2"	Clear Plate	9.47	11.63	1/8"	Velour on Soda Lime	9.48	9.82
1/4"	Optiwhite	7.36	8.34	5/32"	Cottswald	11.50	
3/8"	Optiwhite	14.94	17.01	5/32"	Flemish	13.80	_
1/2"	Optiwhite	18.97	25.70				
3/4"	Optiwhite	46.63	23.70	5/32"	Renaissance	11.22	
3/16"	Robax®	59.09		3/16"	Aquatex	5.86	6.89
3/ 10	RUDAX®	29.09					
TINTFI	D GLASS			1/4"	Aquatex	9.78	12.12
1/8"	Bronze/Grey Plate	6.18	6.47	1/4"	White (Back-Painted) on Low-Iron	16.56	18.22
3/16"	Bronze/Grey Plate	6.72	6.94	1/4"	Flemish	15.82	18.17
1/4"	Bronze/Grey Plate	6.93	7.24	1/4"	Glue Chip – Rolled	13.18	15.72
3/8"	Bronze/Grey Plate	19.25	22.53	1/4"	Master Carre ²	15.27	17.84
1/8"	Midnight Grey	7.83	15.31	1/4"	Misco Wire	16.94	
				1/4"	Pattern #62	8.70	10.36
LAMIN	ATED			1/4"	Rain	9.16	10.90
1/4"	.030 Clear Laminated	10.50	_	1/4"	Reeded	14.36	16.60
1/4"	.030 Bronze Laminated	11.79		1/4"	Velour on Soda Lime	10.18	13.21
1/4"	.030 Grey Laminated	11.79					
1/4"	.030 Green Laminated	11.79		3/8"	Glue Chip – Rolled	24.48	27.38
1/4"	.030 Hue White Laminated	13.89		3/8"	German New Antique	59.46	62.35
				3/8"	Rain	17.23	19.99
MIRRO				3/8"	Reeded	18.70	20.72
1/8"	Clear Mirror	4.76		3/8"	Velour on Soda Lime	19.01	21.92
3/16"	Clear Mirror	5.45		3/8"	Velour on Starphire	36.69	39.93
1/4"	Clear Mirror	5.64			'		
1/4"	Grey Mirror	9.15		1/2"	Velour on Soda Lime	32.00	37.06
1/4"	Antique Mirror-Clear ¹	12.69			Mirror is sold "as-is". This is a custo dustry specifications.	m fabricated produc	t and is not held to
1/4"	Clear Laminated Mirror	19.52		² Discontir	nued Patterns - Limited quantities,	call for availability.	

CUT-TO-SIZE SPECIFICATIONS

EDGE TREATMENTS

			CI	ACC THICKNE	-cc		
	חר מ כר	E /22		ASS THICKNE		4 / 7 //	2//"
Minimum Ouantities	DS & SS	5/32	3/16"	1/4″	3/8"	1/2″	3/4"
Minimum Quantities							
Annealed - Translucent & Mirror per order			1 sq ft -	- All glass thic	knesses		
Annealed - Pattern Glass	1 s per p	q ft piece			oq ft order		
Annealed - Robax	No Min.						
Tempered - All Glass Types per piece		3	3 sq ft - All gla	ss thicknesse	25		
Dimensions & Tolerances							
Out of Square	WSD do	es not charge	for out of squ	are condition	s (except for [Double Out Cor	nditions)
Double Out Condition On seamed or polished only			\$92	2.00			
Tolerances	±1/16"	±1/16"	±1/16"	±1/16"	±1/8"	±1/8"	±3/16"
Hold Exact Size			А	dd 20% to ord	er		
Edgework Requirements							
Annealed	All anr	nealed shippe	d goods will b	e seamed // So	eaming charg	es apply (see p	age 8)
Tempered	All t	empered inclu	ıdes seaming	in tempering	price	Satin Polish (charges apply)	
Size Charges							
Undersize Items	Lit	es with a wid		n 10″ will be ca glass thicknes		minimum of 1	0"
Undersize Charge Charged on items less than 8" down to 2" that require bevel or miter					\$103.00	\$103.00	\$103.00
Tempered Oversize Charge Charged on glass ≥120″		Ad	dd 75% to sq	uare foot pr	ice		
Oversize Charge (per piece)			\$26.95 mult	iplied by Over	size Ouantity		
oversize charge (per piece)	Oversize Oua	ntity Example	ψ20.55 mail	· · · · ·	·		
Oversize Quantity = sq ft of piece / thickness figure Note: Oversize Quantity must be 1 or greater for oversize	(using ½	" glass)	24 sq ft	Thick	ness Figure (l	oelow) 15 sq ft	7 sq ft
charge to apply	thickness figure	24 sq ft ^{' = 1.5}	2+ 34 IC	2+ 34 IT	20 3411	19 3411	, 3411
Other Charges							

Tempering Limitations - Additional tempering limitations can be found on page 11

TEMP. LIMITATIONS

EDGE TREATMENTS

EDGE TREATMENTS

STRAIGHT LINE EDGE TR	EATMENT		ALV	Ways Use Nex	T EVEN INCH		ER INCH DGE WORK
			GLA	ASS THICKNESS	5		
TREATMENT	1/8"	3/16"	1/4"	1/4" LAMI	3/8"	1/2"	3/4"
Seamed Edge	0.052	0.052	0.052	0.052	0.116	0.154	0.218
Flat Polish Edge	0.090	0.090	0.090	1.080 ¹	0.192	0.258	0.386
½" Bevel	0.179	0.129	0.129		0.327	0.386	0.617
¾" Bevel		0.166	0.166		0.368	0.424	0.669
1" Bevel		0.213	0.213		0.415	0.476	0.758
1¼" Bevel		0.258	0.258		0.463	0.514	0.875
1½" Bevel		0.348 NT	0.348 NT		0.557	0.604	1.054
2" Bevel NT			1.157 NT		1.408 NT	1.415 NT	2.623 NT
Double Bevel NT			Quote		Quote	Quote	Quote
Dual Bevel NT					Quote	Quote	Quote
0-45° Miter			0.772		0.901	1.093	1.428
Chamfer					0.901	1.093	1.428
Pencil Polish	Pencil Polish N	//inimum \$25.00	0.489		0.553	0.630	1.093

SHAPE / DIAMETER EDO	SHAPE / DIAMETER EDGE TREATMENT			NAYS USE NEX	T EVEN INCH »	PRICE PI	
			GL	ASS THICKNESS	5		
TREATMENT	1/8"	3/16"	1/4"	1/4" LAMI	3/8"	1/2"	3/4"
Seamed Edge	0.052	0.064	0.064	0.064	0.116	0.154	0.218
Flat Polish Edge		0.489	0.489	1.080 ¹	0.553	0.630	1.093
½" Bevel	0.914	0.914	0.914		1.054	1.132	2.012
¾" Bevel		0.990	0.990		1.144	1.221	2.160
1" Bevel		1.080	1.080		1.221	1.299	2.341
1 ¼" Bevel		1.144	1.144		1.364	1.441	2.584
1½" Bevel			1.672 NT		1.826	1.891	3.485
Double Bevel NT					Quote	Quote	Quote
Dual Bevel NT					Quote	Quote	Quote
Pencil Polish			0.489		0.553	0.630	1.093

ADDITIONAL CHARGES	MINIMUM CHARGES
Polish 5 to 8 straight-sided pieces – Requires shapes polish	Straight Line Edge Work on Bevel Only – \$16.50 per order
Bevel 5 to 8 straight-sided pieces – Add 35% to order (Use straight line bevel charge)	Shape Edge Treatment – \$30.62 per piece
Special degree bevel – \$31.84 Setup plus per inch bevel	2" Bevel – \$31.90 Setup Charge plus \$58.30 Edge Work minimum
Add 35% to Edge Treatment for customer supplied glass	

NT - Not able to be tempered

See page 12 for profiles of edge treatments.

¹ - Laminated requires minimum width of 4" in order to polish

TEMP. LIMITATIONS


CORNERS, NOTCHES, HOLES


EDGE TREATMENTS

						PRICE PE	R EACH
			GLA	ASS THICKNES	S		
CORNERS (per corner unless otherwise stated)	1/8"	3/16"	1/4"	1/4" LAMI	3/8"	1/2"	3/4
Flat (or Pencil) Polish Radius Corner up to 10" (Max 4 corners per piece)	Setup	11.02	11.02		19.60	26.94	39.1
Add one (1) Setup Charge for up to (4) corners plus Shape Edge Treatment (per inch) for entire perimeter	Shape Edge	0.489	0.489		0.553	0.630	1.09
1" Bevel (Illustration on page13)			20.17		20.17	26.95	53.8
1½" Bevel (Illustration on page13)			20.17 NT		20.17	26.95	53.89
1", 1 ½" Beveled Radius Corner NT (Illustration on page 13)			53.89 NT		53.89 NT	60.65 NT	87.48 N
Bump Corners		1.340	1.340	3.330	3.330	6.710	9.80
HOLES - (COUNTERSINK HOLES (up to 1 1/2" dia	ameter counters	sink) - HOLE F	RICING 2X)				
1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"	4.32	4.32	4.32	Quote	7.34	9.80	33.6
1", 1 1/16", 1 3/16", 1 1/4", 1 1/2", 1 5/8", 1 3/4", 2", 2 1/4", 2 1/2"	6.76	6.76	6.76	Quote	21.41	21.41	42.8
3", 3 1/2", 4"	20.17	20.17	20.17	Quote	40.41	40.41	67.3
4 1/4" and up - CNC (\$40 minimum)							
SWITCHES OR OUTLETS - DRILLED NON-FINI	SHED INTERIOR	EDGE					
Single (Std. Size - 2 1/4" x 4 1/2")		21.17	21.17				
Double (Std. Size - 4 1/4" x 4 1/2")		42.45	42.45				
Triple (Std. Size - 6 1/4" x 4 1/2")		63.69	63.69				
Quad (Std. Size - 8" x 4 1/2")		84.86	84.86				
NOTCHES - MILLED SATIN ARIS EDGE // ALL NO	TCHES HAVE 3/	8" RADIUS (N	IINIMUM)				
Edge/Corner – Minimum Charge up to 30 U.I. Replaces Edge Notch (Hinge Notch)		31.84	31.84	Quote	40.12	41.85	66.1
Edge/Corner - >30 U.I. to 100 U.I. (per inch)		1.103	1.103	Quote	1.543	1.739	2.25
Edge/Corner – >100 U.I.		Quote	Quote	Quote	Quote	Quote	Quot
SANDBLASTED PLATE RAIL – \$30.62 Setup Ch	arge per piece +	\$2.04 per inc	h				
V-GROOVE – Please fax drawings for quote							
ETCHED FINGER PULL— \$41.50 - Standard Size	2 5/8" x 2 3/4"						

OUT OF SQUARE DRAWING REQUIREMENTS

All dimensions provided are to be <u>centerline</u> dimensions. Ensure all out-conditions add-up before placing order.





ABRICATION

PATTERNS

PATTERN CHARGES -

	PATTERN CHARGE
Diameter Patterns on 3/8" & 1/2"	23.00
Diameter Patterns on 3/4" & Lami	40.00
Patterns for thicknesses on glass ≤3/16" with a seamed edge	23.00
Patterns on all other glass thicknesses with a seamed edge & Patterns on all glass thicknesses with a polished or beveled edge	50.00
Patterns on laminated glass	65.00

Even if quoted without - if a physical pattern is sent to WSD; the pattern charge will be added.

ADDITIONAL CHARGES - 5-8 sided patterns require shapes polishing.

BLOCK SIZE CALCULATIONS – Additional material is required during the fabrication process to create a quality pattern. Use the following table to find your glass thickness and add the listed measurement to each dimension to determine the correct block size needed for your pattern.

THICKNESS	ADD TO EACH DIMENSION
1/8"	
3/16"	2"
1/4"	
3/8"	- "
1/2"	4
3/4"	6"

CUTOUTS – Customers are responsible for cutting out patterns. A full size pattern is require for shapes other than squares, rectangles & diameters. If WSD cuts out pattern, we are not responsible for final fit. Tolerances (see pg 7) still apply to all patterns.

DIAMETERS - Diameters/Patio Tables of 38" or greater on 3/16" & 1/4" pattern glass will be charged for a full stock sheet of pattern glass at cut-to-size pricing.

MATERIAL – Reference the following chart for acceptable pattern materials. WSD will return all patterns submitted on unacceptable materials.

ACCEPTABLE	UNACCEPTABLE
Luan	Tissue Paper
Masonite	Wrapping Paper
White Butcher Paper	Brown Kraft Paper
Glass	Broken Glass
Cardboard	Rosin Paper
	Newspaper

PATTERN MATCHING - WSD will match the submitted pattern; not dimensions. Submitted patterns must specify viewing from smooth or textured surface.

QUALITY – The quality of the pattern that you send to WSD directly impacts the quality of the finished goods.

FGP - 05/2023

TEMPERING LIMITATIONS

EDGE TREATMENTS


HOLES AND NOTCHES – This chart should be used to determine minimum sizes and placement of holes and notches in tempered glass:

GLASS THICKNESS (t)	1/8"	3/16"	1/4"	3/8"	1/2"	GENERAL RULE
Minimum Diameter of Holes (A)	1/4"	1/4"	1/4"	3/8"	1/2"	A≥t
Distance from Hole Rim to Edge of glass (B)	1/4"	3/8"	3/8"	9/16"	3/4"	B ≥ 1.5t
Distance between rims of holes (C)	3/8"	3/8"	1/2"	3/4"	1"	C ≥ 2t and 3/8"
Distance from Corner to Rim of Hole (E)	13/16"	1 7/32"	1 5/8"	2 7/16"	3 1/4"	E ≥ 6.5 x t
Minimum Fillet Radius (F)	3/8"	3/8"	3/8"	3/8"	3/8"	

- Countersink holes require technical review and approval before order acceptance.
- Large holes and notches greater than 1/3 the narrow dimension require technical review and approval.

HOLE AND NOTCH LOCATION TOLERANCES

- For dimensions of hole center from specified edge $\pm 1/16$ "
- For dimensions between hole centers ± 1/16"
- Chips and flakes will not exceed 1/16'
- Notch dimensions for glass 1/4" and under ± 1/16"
- Notch dimensions for 3/8" and 1/2" \pm 1/8"



TEMPERED SIZE RANGE – Three (3) square foot minimum, odd or fractional dimensions will be billed at the next higher even inch.

THICKNESS	MINIMUM SIZE	MAXIMUM SIZE	GLASS SIZE TOLERANCE
1/8"	5" x 11"	32" x 74"	
3/16"	5 X I I	72" x 120"	±1/16"
1/4"	3" x 11"	84" x 130"	
3/8" - 1/2"	5 X I I	04 X 13U	±1/8"
Glass over 120" add 75% to appropriate square foot price			Hold to exact size - Add 20% to order

EDGE TREATMENT - Tempered glass has seamed edges unless ordered with polished edges. The seamed edge is not a suitable exposed finished edge. 1/2" tempered glass requires satin polished edge (charges apply).

TEMPERED CERTIFICATION LOGO - Tempered glass is permanently labeled unless ordered "NO LOGO".

DISTORTION – Heat treating adds distortion to glass products. All requirements for distortion, roller wave, consistent furnace orientation or distortion measurement must be disclosed at quotation and order.

STRAIN PATTERN - Tempered glass contains a strain pattern or "Quench Marks" that appear as areas of shadows in a pattern corresponding to the location of air nozzles in the tempering furnace quench section. This condition becomes more visible:

- Under certain lighting conditions, like polarized sunlight
- When the glass is viewed at glancing angles
- With tinted glass, especially when multiple lites are combined in laminated and insulating constructions

The strain pattern is not considered a defect in tempered glass products.

SPONTANEOUS BREAKAGE - Tempered glass is subject to rare spontaneous breakage, where the glass will break for no apparent reason.

INSTALLATION - Monolithic low light transmitting glass (i.e. Midnight Grey, Low-E, 3/8" and 1/2" Bronze and Grey) should be glazed with a consistent tin side/ air side orientation.

CRATING -WSD no longer offers crating as a delivery option.

FABRICATION - All fabrication that penetrates the glass surface (i.e. holes, notches, sand blasting, cutting) must take place prior to tempering.

GLASS QUALITY - All tempered glass shall conform to Consumer Product Safety Commission (CPSC) Standard 16 CFR 1201.

CERTIFICATE OF TEMPERING - Certificate of tempering are available upon request.

CANCELLATIONS - If manufacturing has started on an order and changes or cancellation occurs, the customer will be shipped the raw glass and billed for the same.


EDGE WORK PROFILES

EDGEWORK INCLUDES HIGH POLISH EXCEPT AS NOTED*



Beveled Edge*Available on 1/8", 1/4", 3/8", 1/2", 3/4" glass thickness

*Satin Edge




0-45° Miter Edge Available on 1/4", 3/8", 1/2", 3/4" glass

thickness



Double Beveled Edge

Available on 1/4", 3/8", 1/2", 3/4" glass thickness



Chamfer Edge

Available on 3/8", 1/2", 3/4" glass thickness



Dual Beveled Edge

Available on 3/8", 1/2", 3/4" glass thickness



Pencil Polish Edge

Available on 1/4", 3/8", 1/2", 3/4" glass thickness



Flat Polish Edge


Available on 3/16", 1/4", 3/8", 1/2", 3/4" glass thickness

BEVELED STRAIGHT LINE ILLUS.


1" straight line bevel with 1-1/4" radius corner to retain

EDGE TREATMENTS

1" bevel at radius corner.




1-1/2" straight line bevel with 1-3/4" radius corner to retain 1-1/2" bevel at radius corner.




BEVELED RADIUS CORNER ILLUS.

1" or 1-1/2" beveled radius corner - minimum 2" radius on outside corner.




TEMP. LIMITATIONS

SHAPES




EDGE TREATMENTS


Race Track



Requires a pattern




Queen Anne




Octagon

Requires a pattern

Measure flat to flat or requires a pattern



Boat Requires a pattern



Hexagon

Measure point to point and flat to flat or requires a pattern

FORMULAS FOR CALCULATING INCHES ON SHAPES


Radius Top	Width x 1.6
Ovals (Ellipticals)	(Length + Width) x 1.7
Circle	Diameter x 3.14
Octagon (8 equal sides)	Width x 3.4
Hexagon (6 equal sides)	Width x 3


STOCK TEMPERED - DOOR BLANKS


DOOR BLANK SIZE

	28" x 71 1/2"	28" x 75 1/2"	28" 79 1/2"
3/8" Clear Glass Door Blank	197.00	204.00	212.00

Door Blank Features: 3/8" clear glass, polished on all edges, 8" CTC 1/2" holes for handles and 2 notches for hinges







STANDARD DOOR HEIGHTS FOR HEAVY GLASS STANDARD HINGE DOOR BLANKS

	OVERALL HEIGHT	OVERALL HEIGHT WITH A SC-915 CURB
28" x 71 1/2"		
Stand alone	72"	72 7/16"
SC-646 Head	er 73 7/8"	74 5/16"
Horizon Head	er 73 1/2"	73 15/16"

28" x 7	75 1/2"		
	Stand alone	76″	76 7/16"
	SC-646 Header	77 7/8"	78 5/16"
	Horizon Header	77 1/2"	77 15/16"

28" x 79 1/2"			
	Stand alone	80"	80 7/16"
	SC-646 Header	81 7/8"	82 5/16"
	Horizon Header	81 1/2"	81 15/16"

STANDARD DOOR HEIGHTS FOR HEAVY GLASS PIVOT HINGE DOOR BLANKS

		OVERALL HEIGHT	OVERALL HEIGHT WITH A SC-915 CURB
28" x 7	71 1/2"		
	Stand alone	72"	72 7/16"
	SC-646 Header	74"	74 7/16"
	Horizon Header	73 1/2"	73 15/16"

28" x 7	75 1/2"		
	Stand alone	76"	76 7/16"
	SC-646 Header	78"	78 7/16"
	Horizon Header	77 1/2"	77 15/16"

28" x 7	79 1/2"		
	Stand alone	80"	80 7/16"
	SC-646 Header	82"	82 7/16"
	Horizon Header	81 1/2"	81 15/16"

WALL TO GLASS HINGES

DOOR BLANK SIZE

HINGE	FINISH	28" x 71 1/2"	28" x 75 1/2"	28" 79 1/2"
	Chrome	299.00	306.00	314.00
Premier Package	Brushed Nickel	296.00	303.00	311.00
rackage	Oil Rubbed Bronze (dark)	309.00	316.00	324.00
	Chrome	298.00	305.00	313.00
Symphony Package	Brushed Nickel	298.00	305.00	313.00
	Oil Rubbed Bronze (medium)	314.00	321.00	329.00

Each package will include a door blank (3/8" clear glass, polished on all edges, 8" CTC 1/2" holes for handles and 2 notches for hinges), 2 hinges and an 8" back to back C-Pull. Packages DO NOT include polycarbonate components. PLEASE SPECIFY YOUR CHOICE OF 0° OR 5° PIN ON YOUR ORDER.




US Horizon Premier HingeWall to Glass hinge with full plate.
Available in 0° or 5° load





Portals Symphony HingeWall to Glass with full plate.
Available in 0° or 5° load.



8" Back to Back C-Pull







180° GLASS TO GLASS HINGES

DOOR BLANK SIZE

HINGE	FINISH	28" x 71 1/2"	28" x 75 1/2"	28" 79 1/2"
	Chrome	350.00	357.00	365.00
Premier Package	Brushed Nickel	366.00	373.00	381.00
rachage	Oil Rubbed Bronze (dark)	370.00	377.00	385.00
	Chrome	373.00	380.00	388.00
Symphony Package	Brushed Nickel	336.00	343.00	351.00
- acriage	Oil Rubbed Bronze (medium)	435.00	442.00	450.00

Each package will include a door blank (3/8" clear glass, polished on all edges, 8" CTC 1/2" holes for handles and 2 notches for hinges), 2 hinges and an 8" back to back C-Pull. Packages DO NOT include polycarbonate components. PLEASE SPECIFY YOUR CHOICE OF 0° OR 5° PIN ON YOUR ORDER.




US Horizon Premier Hinge 180° Glass to Glass hinge. Available in 0° or 5° load





Portals Symphony Hinge 180° Glass to Glass hinge. Available in 0° or 5° load.



8" Back to Back C-Pull







PIVOT HINGES

DOOR BLANK SIZE

HINGE	FINISH	28" x 71 1/2"	28" x 75 1/2"	28" 79 1/2"
	Chrome	375.00	381.00	388.00
Montreal Package	Brushed Nickel	323.00	329.00	336.00
rachage	Oil Rubbed Bronze (dark)	338.00	344.00	351.00

Each package will include a door blank (3/8" clear glass, polished on all edges, 8" CTC 1/2" holes for handles and 2 notches for hinges), 2 pivot hinges and an 8" back to back C-Pull. Packages DO NOT include polycarbonate components. PLEASE SPECIFY YOUR CHOICE OF 0° OR 5° PIN ON YOUR ORDER.








US Horizon Montreal HingeBeveled pivot hinge, ceiling or

curb mount.

8" Back to Back C-Pull







STANDARD SIZE MIRRORS

NON-STOCK ITEMS STANDARD FABRICATION & DELIVERY TIMES APPLY

FGP - 05/2023

	Р	OLISHED		1/	2" BEVEL		1	" BEVEL	
STANDARD		VOLUME P	RICING		VOLUME F	PRICING		VOLUME I	PRICING
SIZES	1-24	25-49	50+	1-24	25-49	50+	1-24	25-49	50+
24" x 30"	29.33	28.10	26.63	32.18	30.82	29.21	38.30	36.69	34.78
24" x 36"	34.61	33.15	31.43	37.77	36.18	34.30	44.58	42.71	40.48
30" x 36"	42.17	40.39	38.29	45.65	43.73	41.45	53.14	50.90	48.25
36" x 36"	49.72	47.63	45.15	53.52	51.27	48.59	61.69	59.10	56.01
42" x 36"	57.28	54.87	52.01	61.39	58.81	55.74	70.25	67.29	63.78
48" x 36"	64.84	62.11	58.87	69.26	66.35	62.89	78.80	75.48	71.55
54" x 36"	72.39	69.35	65.73	77.14	73.89	70.04	87.35	83.68	79.32
60" x 36"	79.95	76.59	72.59	85.01	81.43	77.19	95.91	91.87	87.08
66" x 36"	87.51	83.83	79.46	92.88	88.98	84.34	104.46	100.07	94.85
72" x 36"	95.06	91.07	86.32	100.76	96.52	91.48	113.02	108.26	102.62
24" x 40"	38.13	36.53	34.62	41.50	39.76	37.69	48.77	46.72	44.28
30" x 40"	46.45	44.49	42.17	50.14	48.03	45.52	58.08	55.64	52.74
36" x 40"	54.76	52.46	49.72	58.77	56.29	53.36	67.39	64.56	61.19
42" x 40"	63.08	60.42	57.27	67.40	64.56	61.20	76.71	73.48	69.65
48" x 40"	71.39	68.39	64.82	76.03	72.83	69.03	86.02	82.40	78.10
54" x 40"	79.71	76.35	72.37	84.66	81.10	76.87	95.33	91.32	86.56
60" x 40"	88.02	84.32	79.92	93.29	89.37	84.71	104.64	100.24	95.02
66" x 40"	96.34	92.29	87.47	101.92	97.64	92.55	113.96	109.16	103.47
72" x 40"	104.65	100.25	95.02	110.56	105.91	100.38	123.27	118.08	111.93
24" x 42"	39.89	38.21	36.22	43.37	41.55	39.38	50.86	48.72	46.18
30" x 42"	48.59	46.54	44.12	52.38	50.18	47.56	60.55	58.01	54.98
42" x 42"	65.98	63.20	59.90	70.40	67.44	63.92	79.94	76.57	72.58
48" x 42"	74.67	71.53	67.80	79.41	76.07	72.11	89.63	85.86	81.38
54" x 42"	83.36	79.86	75.69	88.42	84.70	80.29	99.32	95.14	90.18
60" x 42"	92.06	88.19	83.59	97.43	93.34	88.47	109.01	104.43	98.98
66" x 42"	100.75	96.52	91.48	106.45	101.97	96.65	118.70	113.71	107.78
72" x 42"	109.45	104.84	99.38	115.46	110.60	104.83	128.40	123.00	116.58

Standard Size Mirrors Tolerance - ±1/4"

Boxing charge for Standard Size Mirrors & Door Mirrors: Up to 42" − \$9.00 // For 48" up to 72" − \$12.50


DOOR MIRRORS

NON-STOCK ITEMS STANDARD FABRICATION & DELIVERY TIMES APPLY


STANDARD SIZES		FLAT POLISH	1/2" BEVEL
16" x 68"	1/4" Clear Mirror	42.87	47.13
18" x 68"	1/4" Clear Mirror	47.24	51.59
20" x 68"	1/4" Clear Mirror	51.60	56.06
22" x 68"	1/4" Clear Mirror	55.97	60.52
24" x 68"	1/4" Clear Mirror	60.33	64.99

Boxing charge for Standard Size Mirrors & Door Mirrors: Up to 42" - \$9.00 // For 48" up to 72" - \$12.50

IMPORTED FRAMELESS SHAPES*







OVAL		1" BEVEL
21" x 31"	3/16" Clear Mirror	57.80
24" x 37"	3/16" Clear Mirror	69.27

Imported Frameless Shapes include backer with individual carton

*Imported Frameless Shapes are sold "as-is". These are not custom mirrors and are not held to normal industry specifications.

FGP - 05/2023

I.G. UNIT FABRICATION

PRIC	PRICE PER SQUARE FOOT							
					V – E Advantage)	LOW-E (7036 ClimaGuard)		
GLASS		ANNEALED	TEMPERED	ANNEALED	TEMPERED	ANNEALED		
SS	Clear	6.88				10.40		
DS	Clear	6.88	9.52	10.00	12.64	10.40		
3/16"	Clear	7.89	10.94	11.80	14.11	12.74		
1/4"	Clear	8.35	11.27					
				-				
DS	Bronze/Grey	9.33	13.57	11.96	15.47	12.35		
3/16"	Bronze/Grey	10.31	13.74	14.16	15.85	15.10		
1/4"	Bronze/Grey	10.72	14.14					
				_				
1/8"	Pattern #62	10.48	12.80					
3/16"	Aquatex	12.87	14.69					
1/4"	.030 Clear Laminated	24.09						
			_					
DS	Clear Patio 34" x 76"		101.49		133.16			
5/32"	Clear Patio 46" x 76"		145.92		210.06			

SPE	ECIAL SHAPES AND COMBINATIONS
Archtops	add 60%
Octagons	add 70%
Rectangle Grids (flat muntins avail in 5/8" & 3/4")	add \$3.60 per divided lite (available in green, bronze, champagne, beige, tan, white)
Contour Grids (see page 25)	add \$3.60 per divided lite (available in tan and white)
Trapezoids & Triangles	add 30%
Triple Glazed	add 65%
Argon for annealed and tempered units	add \$0.30 per sq. ft.; minimum order of \$3.00

Maximum area for thickness of glass:

DS (1/8") glass – 16 square feet // 3/16" glass – 35 square feet // 1/4" glass – 42 square feet // Tempered Glass required after 42 square feet

Units over 50 square feet are subject to special pricing.

There is no warranty on units over 50 square feet.

Odd or fractional dimensions will be billed at next even inch.

If manufacturing has been started on an order, and changes or cancellation occur, the customer will be shipped the raw glass and billed for the same.

All prices based on three (3) square foot minimum per unit.

INSULATED GLASS ORDER REQUESTS - SEND TO:

- <u>igorders@wisconsinshowerdoor.com</u>
- Fax to: 888.329.5196

Wisconsin Shower Door I.G. Unit Fabrication 5803 Packer Drive Wausau, WI 54401

P: 888.329.5194 F: 888.329.5196

PERFORMANCE CHART


CONTOUR MUNTIN – IN-LINE CLIP





The muntins slide onto the in-line muntin clip.

CONTOUR MUNTIN - SNAP OVER CLIP





One muntin is cut. One side of a snap over clip is placed at the intersection of the muntins.

The next muntin is placed over the clip and precut muntin.

The second side of the snap over clip is put into place and snapped together

PERFORMANCE CHART

I.G. DOOR UNITS

MUNTIN OPTIONS

INSULATED GLASS DOOR UNITS FOR COMMERCIAL ENTRANCES

TUBELITE DOORLITES

30 9/16" x 76 1/16" x 1" OA

73 83

FOAMTITE STORM WINDOWS

FOAMTITE INTERIOR STORM WINDOWS			
	GLASS	5	
UNITED INCHES	SS	DS	
0-40	61.82		
41-50	71.15		
51-60	80.70		
61-70	90.45		
71-80	100.42		
81-90	110.61		
91-100		125.41	
101-110		136.74	
111-120		148.34	



Helps reduce condensation.

Effective against damaging moisture on wood areas with finishes applied.

Replaces applying plastic on windows annually.

Fits in area used by window screen (operating windows).

Can be used with stationary units and other types of windows.

One (1) lift handle (black only) applied for easy handling.

Available in five colors:

Bronze

Driftwood

White

Mocha

Green

With black Foamtite weatherstripping.

Extruded aluminum frame.

PERFORMANCE CHART

I.G. UNIT LIMITED WARRANTY

For a period of ten (10) years from the date of purchase, Wisconsin Shower Door warranty is as follows: will not develop material obstruction of vision (on internal glass surfaces) as a result of dust or film formation caused by failure of hermetic seal. Glass is not warrantied against breakage.

Precondition of this warranty is that all insulating glass units be installed in accordance to FGMA glazing manual standards and practices. Furthermore, all units must be installed in such manner as to completely repel water for the entire period of the warranty by use of approved sealants only.

This warranty does not apply to insulating glass units used in vehicles, commercial refrigeration, marine, swimming pool enclosures, greenhouses, airports, sloped applications, and skylights. This warranty also does not apply to units manufactured with SuperSpacer. We assume no responsibility for any damage due to thermal breakage or improper use or handling.

This warranty is made to our immediate customer only and all liability shall be limited to replacement of failed unit or refund of the original purchase price. No employee, dealer or agent for Wisconsin Shower Door is authorized to add or modify this warrantv.

This warranty is the only warranty made, and it is made expressly in lieu of all other warranties and under no circumstances whatsoever shall we be liable in any way for incidental or consequential damages of any kind with regard to our product.

I.G. UNIT PERFORMANCE CHART

I.G. UNIT GLASS TYPE	% OF VISIBLE LIGHT TRANSMITTANCE	SOLAR HEAT GAIN COEFFICIENT	FADING TRANSMISSION	WINTER U-VALUE AIR / ARGON
Clear/Clear	81	.76	.59	.49 / .47
Clear/Pilkington Energy Advantage (Low E)	77	.75	.49	.33 / .28
Clear/Guardian 7036 ClimaGuard (Low E)	71	.38	.33	.29 / .24

VISIBLE LIGHT TRANSMITTANCE - The percentage of visible light (390 to 700 nanometers) within the solar spectrum that is transmitted through the glass.

SOLAR HEAT GAIN COEFFICIENT - The amount of solar radiation that enters the building as heat. The lower the number, the better the glazing is at preventing solar gain.

FADING TRANSMISSION – The portion of energy transmitted in a special region from 300 to 600 nanometers. This region includes all of the ultraviolet energy and part of the visible spectrum, and will give the best representation of relative fading rates. The lower the number, the better the glass is for reducing fading potential of interior furnishings.

U-VALUE – This represents the heat flow rate through a window expressed in BTU/HR/TR2/°F, using winter weather conditions of 0°F outside and 70°F inside. The lower the number, the better the window system is at reducing heat loss.

Parts & Sundries Index

А	
ACI-15 Deep "J" Molding	5 5 5
В	
Bruce's Glass Stain Remover 28 Buytl Glazing Tape 1/8" x 1/2" x 30" 28 Buytl Glazing Tape 1/16" x 1/2" x 45" 28	3
С	
ClearShield AfterCare28	3
D	
Deep Shoe	9
G	
Glazing Vinyl - 1/4" .29 GMP 2C - Single Outlet. .27 GMP 3C - Single Switch .27 GMP 6C - Double Outlet. .27 GMP 7C - Outlet / Switch .27 GMP 8C - Double Switch .27 GMP 9C - Triple Switch .27 GMP 10C - Outlet / Double Switch .27 GMP 11C - Quad Switch .27 GMP 12C - Single G.F.I. / Decora .27 GMP 13C - Double G.F.I. / Decora .27 GMP 15C - Single G.F.I. / Switch .27 GMP 15C - Single G.F.I. / Double Switch .27 GMP 16C - Triple G.F.I. / Decora .27 GMP 17C - Quad G.F.I. / Decora .27 GMP 18C - Single G.F.I. / Outlet .27 GMP 104C - Dimmer Switch .27 GMP 305C - Double G.F.I. / Switch .27 Gunther Ultra/Bond Mirror Mastic .28	77777777777777777
н	
Heavy Duty Wheel Assembly29)
Invisible Shield28	3
L	_
Lock Assembly - Chrome29	2
,	,
Mirror Tape - 1/8" x 1/2" x 75'	3
P	
D. Class Classes	_

5		
Shoe	2	8
Sealant	2	9
Т		
Top Guide Tri-Vue Mirror Frame.	2	
W		
Wardrobe Door		

ACI-30 – End Cap Subject to availability FGP - 05/2023

ANDSCO	T METALS					
PROFILE	PART	SIZE/ QTY	SILVER	MATTE BLACK	BRUSHED NICKEL	OIL RUBBED BRONZE
13/16	ACI-15 – Deep "J" Molding	12′	27.78	39.46	32.04	33.63
11/32	ACI-21 – Shallow "J" Molding	12'	27.78	39.46	32.04	
1 5/16 F	ACI-26 – L-Bar	12′	21.87			
3/8 3/3	ACI-51 – Little Lip	12′	19.16			
11/16	ACI-29 – Face Strip	12′	8.66			

14.07

12′

FGP - 05/2023

ANDSCO	T METALS	MIRROR COVER	PLATES	SILICONE	SUNI	ORIES	STYLMARK
CLEAR N	OVER PLATES	CLEAR N	/IIRROF	COVER PLA			
IMAGE	PART		SIZE/ QTY	PRICE	IMAGE	PART	
3-1/2"	GMP 2C – 9	Single Outlet	each	15.76	3-1/2"	GMP 10	4C – Dimmer Swi
3-1/2"	GMP 3C – 9	Single Switch	each	11.37		GMP 30: Switch	5C – Double G.F.I.
5-1/4"	GMP 6C – [Double Outlet	each	21.30			
5-1/4"	GMP 7C – (Outlet / Switch	each	17.42			
5-1/4"	GMP 8C - [Double Switch	each	13.31			
7-1/4"	GMP 9C - 1	riple Switch	each	19.46			
7-1/4"	GMP 10C – Switch	Outlet / Double	each	21.76			
8-12" 1 1 1 1 5-14"	GMP 11C –	Quad Switch	each	24.78			
3-1/2"	GMP 12C –	Single G.F.I. / Decora	each	17.91			
5-1/4"	GMP 13C –	Double G.F.I. / Decora	each	23.34			
5-1/4"	GMP 14C –	Single G.F.I. / Switch	each	21.87			
7-1/4"	GMP 15C – Switch	Single G.F.I. / Double	each	31.52			
7-1/4"	GMP 16C –	Triple G.F.I. / Decora	each	32.36			
8-1/2" 5-1/4"	GMP 17C –	Quad G.F.I. / Decora	each	54.52			
[j3]	GMP 18C –	Single G.F.I. / Outlet	each	23.34			

CLEAR MIRROR COVER PLATES					
IMAGE	PART	SIZE/ QTY	PRICE		
3-1/2"	GMP 104C – Dimmer Switch	each	28.36		
	GMP 305C – Double G.F.I. / Switch	each	33.37		

STYLMARK

SILICONE PRODUCTS					
IMAGE	PART	SIZE/ QTY	PRICE EA		
A .	SIKASIL GP – General Purpose Acetoxy Cure Silicone	tube	7.75		
	432063 – Clear	case (24)	166.67		
	SIKASIL-N PLUS US – Neutral Cure Silicone 432053 – Clear	tube	6.85		
		case (24)	146.67		
DOW CORNING® 786 mildew resistant silicone seulant	Dow Corning 786 Silicone	tube	13.39		
	Translucent White	case (12)	143.52		

SUNDRIES				SUNDRIES			
IMAGE	PART	SIZE/ QTY	PRICE	IMAGE	PART	SIZE/ QTY	PRICE
Company of the Compan	Gunther Ultra/Bond Mirror Mastic	each	8.00	0	Butyl Glazing Tape 1/16" x 1/2"	roll	3.12
[3]	300ml tube			9	x 45"	case (28)	83.57
0	Mirror Tape – 1/32" x 1/2" x 216'	roll	12.00	0	Butyl Glazing Tape 1/8" x 1/2" x	roll	3.22
-	1732 X 172 X 210	1011	12.00	9	30"	case (28)	86.24
Ô	Mirror Tape – 1/16" x 1/2" x 108'	roll	8.99	6 6	Hang-It™	each	10.28
Ô	Mirror Tape – 1/8" x 1/2" x 75'	roll	10.60	PUREX	Purex Glass Cleaner 5 gallon box	each	59.90
AND A TOO	Bruce's Glass Stain Remover 10 oz. container	each	7.28	We want	Purex Glass Cleaner 32 oz. bottle	each	14.27
		case (6)	39.00			case (12)	152.99
SMILLO EMPLOY EM	Invisible Shield	each	10.81		ClearShield AfterCare 500ml bottle	each	13.96
	16 oz. bottle	case (12)	115.84			eacn	ספ.כו

SUNDRIES

	_
	ш
	P
	ı
	μ
	Þ
	м
	_
	п
	ľ.

STYLMARK						
31 1 LIVIF	inn	SIZE/				
PROFILE	PART	QTY	PRICE			
9:16"	Single Channel – 9/16" - 110022 Silver Brushed Nickel	12'	25.37			
13/16"	Single Channel – 13/16" - 110023 Silver Brushed Nickel	12'	32.00			
1 3/16" — T	Double Channel – 9/16" - 110007 Satin Silver Satin Bronze Satin Gold	12'	31.73			
1 3/16*	Double Track - 110019 Satin Silver Satin Bronze Satin Gold	12'	24.04			
77/16*	Shoe - 110012 Satin Silver Satin Bronze Satin Gold	12'	34.36			
1 3/16"	Deep Shoe - 110067 Satin Silver Satin Bronze Satin Gold	12'	38.22			
	Wheel Assembly - 510001	each	1.16			
	Heavy Duty Wheel Assembly - 510041	each	1.33			
	Top Guide - 419007	each	0.19			
	Glazing Vinyl – 1/4" - 119004	per foot	0.30			
	Black	250' roll	74.93			
	Door Pull Assembly – Standard - 510016 Satin Silver Black	each	12.46			
	Lock Assembly – Chrome - 510040 Brite Silver	each	38.28			
	Wardrobe Door - 630017 Standard & Custom Sizes	each	Quote			
	Tri-Vue Mirror Frame - 620033 Standard & Custom Sizes	each	Quote			

MIRROR COVER PLATES

HANG-IT™




Hang-It™ has been designed to be used with all types of mirrors. It's high strength adhesive backing adheres to all mirror paint backings that meet industry standards. Hang-It™ saves time and labor when installing decorator mirrors. Simply peel off the protective paper on the back of the metal hanger, align the saw tooth slot of the metal hanger with centering lines you have established on the mirror, and press in place. Hang your new mirror on the wall making sure the saw tooth slot is positioned where you want the mirror to be hung.

INSTALLATION INSTRUCTIONS

- 1. Clean any contaminates from the back of the mirror, using a mixture of alcohol and water or denatured alcohol.
- 2. Locate the center of the mirror and draw a vertical line from the top to the bottom.
- Measure down 3" to 6" from the top of the mirror and make a mark on the centering line. This marks the location fro the top of the hanger.
- 4. Locate the center of the hanger. Mark with a line. (The saw tooth slot is centered at the top of the hanger.)
- 5. Peel the adhesive protective paper from the back of the hanger. Align the centering marks on the mirror and hanger. Press in place, making sure the Hang-It™ bracket is making full contact with the back of the mirror.



- Make sure mirror and Hang-It™ are applied at or above 60° room temperature when assembled.
- 2. After installing Hang-It™ on the mirror, wait at least 2 hours before hanging the mirror. The adhesive gains strength in time and fully cures in 7 days.
- 3. Hang-It™ will support decorator mirrors weighting up to 40 lbs.
- 4. Always use gloves when handling mirrors, to protect yourself and avoid damaging the mirror.



ROBAX® GLASS

ROBAX® glass-ceramic has a thermal endurance far exceeding that of normal tempered glass. Tempered glass is generally limited to applications that do not exceed 500° F. However, ROBAX® is designed to operate at temperatures ranging from minus 400° F to plus 1400° F. Because of its special composition and processing, this unique material can withstand a quench into ice water from red hot temperatures.

With ROBAX® glass-ceramic windows in your stove or fireplace, you can enjoy the fire view with the assurance that the window has been designed with a superior margin of safety for your home and your family.

- This material is actually a transparent glass-ceramic manufactured by Schott Glaswerkes.
- Unlike tempered glass, 1400° glass-ceramic is unstressed.
- Easily cut and sanded even drilled.
- Will not shatter (like tempered glass).
- Fire to ice without breaking.
- Good strength.

This is an excellent replacement in most applications for any of the following glasses: PYREX®, BOROFLOAT®, TEMPAX®, VYCOR®, PYROCERAM®, AND NEOCERAM®.

Typical applications include: wood stove, pellet stove and coal stove windows; wood and gas fireplace doors; oven door windows; high intensity light covers; furnace observation windows; barbecue grill windows; spark and flame guard panels.



In the photo above, a cutting torch was placed below the ROBAX® and heated until it was red-hot. Cold water was then poured onto the glass from above. There was NO Breakage.

ENDUROSHIELD









Save time and money with EnduroShield®, the revolutionary, non-stick treatment that is ideal for shower glass. EnduroShield glass treatment makes cleaning shower glass easy and repels soap scum, grime and dirt. EnduroShield reduces your cleaning time by up to 90%.

Untreated glass is porous and as a result absorbs mineral deposits and soap scum, making it more and more difficult to clean overtime. Shower glass is subject to mineral deposits from water, shampoo, soaps, body fats, and harsh scrubbing using toxic cleaners, causing the glass to discolor and develop irremovable staining. EnduroShield is an ultra-thin transparent glass coating that completely adheres to the surface and provides protection that will repel both water and oil based stains. Similar to a non-stick fry pan, cleaning is made easier using a mild detergent or white vinegar with a damp microfiber cloth. No longer is scrubbing with harsh toxic cleaners needed.

WARRANTY

Extensive testing has proven EnduroShield to last beyond 10 years, enabling a genuine 10-year limited warranty* on all new glass surfaces.

CARE & MAINTENANCE

For best results simply drying the glass with a squeegee or towel after each use will help keep the glass clean and reduce mineral spots forming. The glass needs to be cleaned every few weeks using a damp microfiber cloth and a mild detergent to break down soaps, oils, and conditioners on the glass.

The below products have been tested for compatibility with EnduroShield.

- Lysol 4 in 1 Bathroom Cleaner
- Fantastik Orange Action
- Green Works Natural Glass & Surface Cleaner (by Clorox)
- Mr. Clean Magic Eraser (when damp)

A thorough rinse with clean water should follow immediately after use of any cleaner.

CAUTION: Prohibited Products

Be careful not to use any rough, gritty, abrasive, highly acidic or alkaline cleaners as they may damage the protective coating. This includes products such as Comet (powder), Ajax, or cerium oxide which damage or polish back the actual substrate.

For warranty registration, additional information, and full care instructions visit www.enduroshield.com.



Proud of our past; focused on our future.

Wisconsin Shower Door N85 W13780 Leon Road Menomonee Falls, WI 53051

P: 262.251.0088 F: 262.251.0718

Toll Free P: 866.318.0088 Toll Free F: 800.232.1471 Wisconsin Shower Door I.G. Unit Fabrication 5803 Packer Drive Wausau, WI 54401

P: 888.329.5194 F: 888.329.5196

